

Industrilås



One philosophy
Many solutions

Rod latch systems
Swing handles
Hinges
Sealing profiles
Miscellaneous

YOU SHOULD HAVE A LOOK AT THIS!



SWING HANDLE - VISION™

Swing handle and rod latch system. Many locking versions. Available in die-cast zinc / polyamide on page 1-002.01 - 1-004.13. Version in stainless steel on pages 6-010 and 6-020.




PADLOCKABLE ALUMINIUM L-HANDLE

Aluminium L-handle with eyelet for latching with padlock. See pages 1-006.01 - 1-006.13 for version in aluminium and page 6-170 for version in stainless steel.




QUARTER-TURN - VIBRATION RESISTANT

A classic quarter-turn, updated with a vibration-resistant function also giving tactile feedback when opening and closing. See page 2-040a/b.



QUARTER-TURN CYLINDER LOCK

Quarter-turns with different locking options, surface treatments and various lengths of the housing (18 – 56 mm). See page 2-220.



CONCEALED CLICK-HINGE FOR SYSTEM VISION™

Concealed hinge with a patented function for quick assembly or disassembly of small or big doors. See page 3-094 and 3-095.




HINGE SYSTEM KLIMA-FLEX™

Hinge for insulated doors. An interesting alternative to die-cast zinc hinges (page 3-160). This hinge is supplied in polyamide or in stainless steel. See page 3-175 and 6-355a/b.



STAINLESS HEAVY-DUTY HINGE

Hinge in stainless steel (304) for heavy-duty applications. Adjustable horizontally and vertically. Universal left or right mounting. See page 6-470.



SEALING PROFILES / EDGE PROTECTION

A wide variety of self-gripping or self adhesive sealing profiles for your applications. Also in VDI 6022, UL-approved or many other special versions. See pages 4-010 and onward.



FLUSH COMPRESSION LATCH

With push button and adjustable grip range. Available in locking and non-locking version. See pages 2-396.



VECTOR™ T-HANDLE WITH COMPRESSION STROKE

Flush T-Handle with 4 mm compression stroke. Lockable and with several mounting options for IP65. Made from polyamide, zinc or stainless steel. See page 2-800a/b and 2-810a/b.



STAINLESS VISION™ SWING HANDLE FOR INSERT, PADLOCK OR KEYLOCKING

Swing handle system VISION™ made from stainless steel (316). Locking version with profile cylinder, with insert or for padlock. See page 6-010 and 6-020.



3D-INTELLICLAMP™ – THE INTELLIGENT UNIT CONNECTION SYSTEM

For connection of sections and profiles to bigger units. With a simple screw, the 3D-INTELLICLAMP™ automatically aligns in both X-, Y- and Z-axis for a perfect result. See page 5-400.

Industrilås



Successful latching and sealing systems depend on industry-specific specialist knowledge in today's demanding marketplace.

Truly great designs are only born when you work with people that have the experience, know-how and attitude that is required to provide solutions that are fully optimized for each unique application.

Industrilås has delivered ideas, solutions and products to the local and global market since 1981. We design, produce and distribute our products ourselves. That is why we can offer you a complete array of solutions for your problems.

Order our new product catalogue:

360 pages of inspiration and experience.

www.industrilas.com



INDUSTRILÅS HEAD OFFICE

Svedjegatan 1 · SE-571 41

Nässjö · Sweden

Tel: +46 (0) 10 - 130 75 00

Fax: +46 (0) 10 - 130 75 92

www.industrilas.com

